




Fixture photometric table

Fixture model
Inspire MD Narrow 120V
3000K

Field 56°	Beam 32°	Magnification x 0.57 Mf	Candelas 17600 Cd	Lumens 5700 lm	Watts 110 w	Lumen/w 52.6 lm/w	
Throw Distance		Field Spread		Beam Spread		Full On	
m	ft	m	ft	m	ft	Lux	Footcandle
1.0 m	3.3 ft	1.1 m	3.5 ft	0.6 m	1.9 ft	17600 lx	1635 fc
2.0 m	6.6 ft	2.1 m	7.0 ft	1.1 m	3.8 ft	4400 lx	409 fc
3.0 m	9.8 ft	3.2 m	10.5 ft	1.7 m	5.6 ft	1956 lx	182 fc
4.0 m	13.1 ft	4.3 m	14.0 ft	2.3 m	7.5 ft	1100 lx	102 fc
5.0 m	16.4 ft	5.3 m	17.4 ft	2.9 m	9.4 ft	704 lx	65 fc
6.0 m	19.7 ft	6.4 m	20.9 ft	3.4 m	11.3 ft	489 lx	45 fc
7.0 m	23.0 ft	7.4 m	24.4 ft	4.0 m	13.2 ft	359 lx	33 fc
8.0 m	26.2 ft	8.5 m	27.9 ft	4.6 m	15.1 ft	275 lx	26 fc
9.0 m	29.5 ft	9.6 m	31.4 ft	5.2 m	16.9 ft	217 lx	20 fc
10.0 m	32.8 ft	10.6 m	34.9 ft	5.7 m	18.8 ft	176 lx	16 fc






Fixture photometric table

Fixture model
Inspire MD Medium 120V
3000K


Field 71°	Beam 42°	Magnification x 0.77 Mf	Candelas 13800 Cd	Lumens 5700 lm	Watts 110 w	Lumen/w 52.0 lm/w	
Throw Distance		Field Spread		Beam Spread		Full On	
m	ft	m	ft	m	ft	Lux	Footcandle
1.0 m	3.3 ft	1.4 m	4.7 ft	0.8 m	2.5 ft	13800 lx	1282 fc
2.0 m	6.6 ft	2.9 m	9.4 ft	1.5 m	5.0 ft	3450 lx	321 fc
3.0 m	9.8 ft	4.3 m	14.0 ft	2.3 m	7.6 ft	1533 lx	142 fc
4.0 m	13.1 ft	5.7 m	18.7 ft	3.1 m	10.1 ft	863 lx	80 fc
5.0 m	16.4 ft	7.1 m	23.4 ft	3.8 m	12.6 ft	552 lx	51 fc
6.0 m	19.7 ft	8.6 m	28.1 ft	4.6 m	15.1 ft	383 lx	36 fc
7.0 m	23.0 ft	10.0 m	32.8 ft	5.4 m	17.6 ft	282 lx	26 fc
8.0 m	26.2 ft	11.4 m	37.4 ft	6.1 m	20.2 ft	216 lx	20 fc
9.0 m	29.5 ft	12.8 m	42.1 ft	6.9 m	22.7 ft	170 lx	16 fc
10.0 m	32.8 ft	14.3 m	46.8 ft	7.7 m	25.2 ft	138 lx	13 fc





Fixture photometric table

Fixture model
Inspire MD Wide 120V
3000K



Field 116°	Beam 65°	Magnification x 1.27 Mf	Candelas 11500 Cd	Lumens 5700 lm	Watts 110 w	Lumen/w 52.5 lm/w	
Throw Distance		Field Spread		Beam Spread		Full On	
m	ft	m	ft	m	ft	Lux	Footcandle
1.0 m	3.3 ft	3.2 m	10.5 ft	1.3 m	4.2 ft	11500 lx	1068 fc
2.0 m	6.6 ft	6.4 m	21.0 ft	2.5 m	8.4 ft	2875 lx	267 fc
3.0 m	9.8 ft	9.6 m	31.5 ft	3.8 m	12.5 ft	1278 lx	119 fc
4.0 m	13.1 ft	12.8 m	42.0 ft	5.1 m	16.7 ft	719 lx	67 fc
5.0 m	16.4 ft	16.0 m	52.5 ft	6.4 m	20.9 ft	460 lx	43 fc
6.0 m	19.7 ft	19.2 m	63.0 ft	7.6 m	25.1 ft	319 lx	30 fc
7.0 m	23.0 ft	22.4 m	73.5 ft	8.9 m	29.3 ft	235 lx	22 fc
8.0 m	26.2 ft	25.6 m	84.0 ft	10.2 m	33.4 ft	180 lx	17 fc
9.0 m	29.5 ft	28.8 m	94.5 ft	11.5 m	37.6 ft	142 lx	13 fc
10.0 m	32.8 ft	32.0 m	105.0 ft	12.7 m	41.8 ft	115 lx	11 fc