




Fixture photometric table

Fixture model
Brute Force 4 (3200K)




Throw Distance	Field 45°	Beam 22°	Magnification x 0.39 Mf	Candelas 405400 Cd	Lumens 97700 lm	Watts 2136 w	Lumen/w 45.8 lm/w	
							Lux	Footcandle
1.0 m	3.3 ft	0.8 m	2.7 ft	0.4 m	1.3 ft	405400 lx	37663 fc	
2.0 m	6.6 ft	1.7 m	5.4 ft	0.8 m	2.6 ft	101350 lx	9416 fc	
3.0 m	9.8 ft	2.5 m	8.2 ft	1.2 m	3.8 ft	45044 lx	4185 fc	
4.0 m	13.1 ft	3.3 m	10.9 ft	1.6 m	5.1 ft	25338 lx	2354 fc	
5.0 m	16.4 ft	4.1 m	13.6 ft	1.9 m	6.4 ft	16216 lx	1507 fc	
6.0 m	19.7 ft	5.0 m	16.3 ft	2.3 m	7.7 ft	11261 lx	1046 fc	
7.0 m	23.0 ft	5.8 m	19.0 ft	2.7 m	8.9 ft	8273 lx	769 fc	
8.0 m	26.2 ft	6.6 m	21.7 ft	3.1 m	10.2 ft	6334 lx	588 fc	
9.0 m	29.5 ft	7.5 m	24.5 ft	3.5 m	11.5 ft	5005 lx	465 fc	
10.0 m	32.8 ft	8.3 m	27.2 ft	3.9 m	12.8 ft	4054 lx	377 fc	



Fixture photometric table

Fixture model
Brute Force 4 (4400K)


Field 45°	Beam 22°	Magnification x 0.39 Mf	Candelas 413600 Cd	Lumens 97700 lm	Watts 2136 w	Lumen/w 45.8 lm/w	
Throw Distance		Field Spread		Beam Spread		Full On	
m	ft	m	ft	m	ft	Lux	Footcandle
1.0 m	3.3 ft	0.8 m	2.7 ft	0.4 m	1.3 ft	413600 lx	38425 fc
2.0 m	6.6 ft	1.7 m	5.4 ft	0.8 m	2.6 ft	103400 lx	9606 fc
3.0 m	9.8 ft	2.5 m	8.2 ft	1.2 m	3.8 ft	45956 lx	4269 fc
4.0 m	13.1 ft	3.3 m	10.9 ft	1.6 m	5.1 ft	25850 lx	2402 fc
5.0 m	16.4 ft	4.1 m	13.6 ft	1.9 m	6.4 ft	16544 lx	1537 fc
6.0 m	19.7 ft	5.0 m	16.3 ft	2.3 m	7.7 ft	11489 lx	1067 fc
7.0 m	23.0 ft	5.8 m	19.0 ft	2.7 m	8.9 ft	8441 lx	784 fc
8.0 m	26.2 ft	6.6 m	21.7 ft	3.1 m	10.2 ft	6463 lx	600 fc
9.0 m	29.5 ft	7.5 m	24.5 ft	3.5 m	11.5 ft	5106 lx	474 fc
10.0 m	32.8 ft	8.3 m	27.2 ft	3.9 m	12.8 ft	4136 lx	384 fc





Fixture photometric table

Fixture model
Brute Force 4 (5600K)



Field 45°	Beam 22°	Magnification x 0.39 Mf	Candelas 405400 Cd	Lumens 97700 lm	Watts 2136 w	Lumen/w 45.8 lm/w	
Throw Distance		Field Spread		Beam Spread		Full On	
m	ft	m	ft	m	ft	Lux	Footcandle
1.0 m	3.3 ft	0.8 m	2.7 ft	0.4 m	1.3 ft	405400 lx	37663 fc
2.0 m	6.6 ft	1.7 m	5.4 ft	0.8 m	2.6 ft	101350 lx	9416 fc
3.0 m	9.8 ft	2.5 m	8.2 ft	1.2 m	3.8 ft	45044 lx	4185 fc
4.0 m	13.1 ft	3.3 m	10.9 ft	1.6 m	5.1 ft	25338 lx	2354 fc
5.0 m	16.4 ft	4.1 m	13.6 ft	1.9 m	6.4 ft	16216 lx	1507 fc
6.0 m	19.7 ft	5.0 m	16.3 ft	2.3 m	7.7 ft	11261 lx	1046 fc
7.0 m	23.0 ft	5.8 m	19.0 ft	2.7 m	8.9 ft	8273 lx	769 fc
8.0 m	26.2 ft	6.6 m	21.7 ft	3.1 m	10.2 ft	6334 lx	588 fc
9.0 m	29.5 ft	7.5 m	24.5 ft	3.5 m	11.5 ft	5005 lx	465 fc
10.0 m	32.8 ft	8.3 m	27.2 ft	3.9 m	12.8 ft	4054 lx	377 fc