




## Fixture photometric table

**Fixture model**  
Inspire XT narrow 4000K

Field 57°	Beam 32°	Magnification x 0.57 Mf	Candelas 22400 Cd	Lumens 8400 lm	Watts 132 w	Lumen/w 64.2 lm/w	
Throw Distance		Field Spread		Beam Spread		Full On	
m	ft	m	ft	m	ft	Lux	Footcandle
1.0 m	3.3 ft	1.1 m	3.6 ft	0.6 m	1.9 ft	22400 lx	2081 fc
2.0 m	6.6 ft	2.2 m	7.1 ft	1.1 m	3.8 ft	5600 lx	520 fc
3.0 m	9.8 ft	3.3 m	10.7 ft	1.7 m	5.6 ft	2489 lx	231 fc
4.0 m	13.1 ft	4.3 m	14.3 ft	2.3 m	7.5 ft	1400 lx	130 fc
5.0 m	16.4 ft	5.4 m	17.8 ft	2.9 m	9.4 ft	896 lx	83 fc
6.0 m	19.7 ft	6.5 m	21.4 ft	3.4 m	11.3 ft	622 lx	58 fc
7.0 m	23.0 ft	7.6 m	24.9 ft	4.0 m	13.2 ft	457 lx	42 fc
8.0 m	26.2 ft	8.7 m	28.5 ft	4.6 m	15.1 ft	350 lx	33 fc
9.0 m	29.5 ft	9.8 m	32.1 ft	5.2 m	16.9 ft	277 lx	26 fc
10.0 m	32.8 ft	10.9 m	35.6 ft	5.7 m	18.8 ft	224 lx	21 fc






## Fixture photometric table

**Fixture model**  
Inspire XT medium 4000K


Field 105°	Beam 44°	Magnification x 0.81 Mf	Candelas 7500 Cd	Lumens 6900 lm	Watts 132 w	Lumen/w 52.7 lm/w	
Throw Distance		Field Spread		Beam Spread		Full On	
m	ft	m	ft	m	ft	Lux	Footcandle
1.0 m	3.3 ft	2.6 m	8.6 ft	0.8 m	2.7 ft	7500 lx	697 fc
2.0 m	6.6 ft	5.2 m	17.1 ft	1.6 m	5.3 ft	1875 lx	174 fc
3.0 m	9.8 ft	7.8 m	25.7 ft	2.4 m	8.0 ft	833 lx	77 fc
4.0 m	13.1 ft	10.4 m	34.2 ft	3.2 m	10.6 ft	469 lx	44 fc
5.0 m	16.4 ft	13.0 m	42.8 ft	4.0 m	13.3 ft	300 lx	28 fc
6.0 m	19.7 ft	15.6 m	51.3 ft	4.8 m	15.9 ft	208 lx	19 fc
7.0 m	23.0 ft	18.2 m	59.9 ft	5.7 m	18.6 ft	153 lx	14 fc
8.0 m	26.2 ft	20.9 m	68.4 ft	6.5 m	21.2 ft	117 lx	11 fc
9.0 m	29.5 ft	23.5 m	77.0 ft	7.3 m	23.9 ft	93 lx	9 fc
10.0 m	32.8 ft	26.1 m	85.5 ft	8.1 m	26.5 ft	75 lx	7 fc





## Fixture photometric table

**Fixture model**  
Inspire XT wide 4000K



Field 108°	Beam 62°	Magnification x 1.20 Mf	Candelas 6500 Cd	Lumens 7400 lm	Watts 132 w	Lumen/w 56.7 lm/w	
Throw Distance		Field Spread		Beam Spread		Full On	
m	ft	m	ft	m	ft	Lux	Footcandle
1.0 m	3.3 ft	2.8 m	9.0 ft	1.2 m	3.9 ft	6500 lx	604 fc
2.0 m	6.6 ft	5.5 m	18.1 ft	2.4 m	7.9 ft	1625 lx	151 fc
3.0 m	9.8 ft	8.3 m	27.1 ft	3.6 m	11.8 ft	722 lx	67 fc
4.0 m	13.1 ft	11.0 m	36.1 ft	4.8 m	15.8 ft	406 lx	38 fc
5.0 m	16.4 ft	13.8 m	45.2 ft	6.0 m	19.7 ft	260 lx	24 fc
6.0 m	19.7 ft	16.5 m	54.2 ft	7.2 m	23.7 ft	181 lx	17 fc
7.0 m	23.0 ft	19.3 m	63.2 ft	8.4 m	27.6 ft	133 lx	12 fc
8.0 m	26.2 ft	22.0 m	72.3 ft	9.6 m	31.5 ft	102 lx	9 fc
9.0 m	29.5 ft	24.8 m	81.3 ft	10.8 m	35.5 ft	80 lx	7 fc
10.0 m	32.8 ft	27.5 m	90.3 ft	12.0 m	39.4 ft	65 lx	6 fc