

WEATHER COVER OPERATION

FRONT VIEW



SIDE VIEW



UNIT MUST NOT EXCEED 50° FORWARD TILT

PLEASE NOTE

CHROMA-Q VINYL COVERS MUST BE FITTED TO FRONT & REAR

ADDITIONAL PRECAUTIONS MUST BE TAKEN TO PROTECT UNIT IN SEVERE WEATHER CONDITIONS


WEIGHTS

Brute Force 4 (x4 Studio Force II 48 fixtures) = 120kg / 265lbs (approx) Brute Force 6 (x6 Studio Force II 48 fixtures) = 175kg / 386lbs (approx)

/1.0 09.18


WEATHER COVER OPERATION

FRONT VIEW



UNIT MUST BE MOUNTED VERTICALLY


SIDE VIEW



TAKEN TO PROTECT UNIT IN SEVERE WEATHER CONDITIONS

ADDITIONAL PRECAUTIONS MUST BE

WEIGHTSBrute Force 4 (x4 Studio Force II 48 fixtures) = 120kg / 265lbs (approx)
Brute Force 6 (x6 Studio Force II 48 fixtures) = 175kg / 386lbs (approx)




Chroma-Q®

BRILLIANT SOLUTIONS




Brute Force 4 Chroma-Q°

WEATHER COVER OPERATION



SIDE VIEW



TAKEN TO PROTECT UNIT IN SEVERE WEATHER CONDITIONS

ADDITIONAL PRECAUTIONS MUST BE

WEIGHTS

Brute Force 4 (x4 Studio Force II 48 fixtures) = 120kg / 265lbs (approx)

Brute Force 6 (x6 Studio Force II 48 fixtures) = 175kg / 386lbs (approx)

BRILLIANT SOLUTIONS

Chroma-Q®



Brute Force 6